

**BOSDI®**

+86 371-68611525 / 55656500

+86 371-67659918

[www.bosdiabrasives.com](http://www.bosdiabrasives.com)

[bosdi@bosdiabrasives.com](mailto:bosdi@bosdiabrasives.com)

No. 216 Changchun Road, High-tech  
Development Zone, Zhengzhou China  
Zip 450000

**BOSDI ABRASIVES**



# BOSDI®

[Purpose]: cut off tile, ceramic, floor tile, roof tile, brick, clay stone and others.

[Features]: very sharp, higher efficiency, no brun

[Shap]: fish shape.



**Type 41**


Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.4x22	—	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.4x22	—	600	14	47x25x14	
A/WA/SC/GC	125x1.4x22	—	600	15	47x25x14	
A/WA/SC/GC	150x1.4x22	—	600	16	47x25x14	
A/WA/SC/GC	180x1.6x22	—	500	17	47x25x14	
A/WA/SC/GC	200x1.6x22	—	600	17	47x27x15	
A/WA/SC/GC	250x1.6x22	—	600	18	47x27x15	
A/WA/SC/GC	300x1.6x22	—	600	19	47x27x15	
A/WA/SC/GC	350x3.0x22	—	500	20	47x27x15	
A/WA/SC/GC	400x4.0x22	—	400	18	36x32x17	
A/WA/SC/GC	500x4.0x22	—	400	19	36x32x17	
A/WA/SC/GC	600x4.0x22	—	400	20	36x32x17	
A/WA/SC/GC	800x4.0x22	—	200	18	42x19x20	
A/WA/SC/GC	1000x5 x22	—	200	20	42x19x20	
A/WA/SC/GC	1200x5 x22	—	200	21	42x19x20	
A/WA/SC/GC	1400x5 x22	—	100	23	25x24x25	
A/WA/SC/GC	1500x5 x22	—	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off tile, ceramic, floor tile, roof tile, brick, clay stone and others.

[Features]: very sharp, higher efficiency, no brun and burr-free.

[shape]: turbo



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	—	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	—	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	—	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	—	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	—	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	—	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	—	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	—	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	—	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	—	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	—	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	—	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	—	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	—	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	—	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	—	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	—	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off road, concrete, bitulith, pitch, bituminous pavement, brick, clay stone and others.

[Features]: sharp and stonger, higher efficiency, long working life.

[Shape]: teeth



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	—	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	—	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	—	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	—	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	—	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	—	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	—	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	—	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	—	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	—	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	—	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	—	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	—	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	—	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	—	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	—	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	—	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off road, concrete, bitulith, pitch, bituminous pavement, brick, clay stone and others.

[Features]: very sharp, higher efficiency, no brun and burr-free.

[Shape]: teeth



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	—	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	—	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	—	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	—	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	—	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	—	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	—	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	—	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	—	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	—	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	—	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	—	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	—	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	—	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	—	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	—	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	—	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off tile, ceramic, floor tile, roof tile, brick, clay stone and others.

[Features]: very sharp, higher efficiency, no burr and burr-free.

[Shape]: teeth



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	———	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	———	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	———	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	———	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	———	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	———	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	———	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	———	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	———	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	———	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	———	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	———	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	———	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	———	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	———	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	———	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	———	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off glass, ceramic, floor tile, roof tile, brick, clay stone and others.

[Features]: very sharp, higher efficiency, no burr and burr-free.



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	———	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	———	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	———	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	———	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	———	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	———	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	———	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	———	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	———	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	———	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	———	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	———	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	———	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	———	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	———	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	———	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	———	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off tile, ceramic, floor tile, roof tile, brick, clay stone and others.

[Features]: very sharp, higher efficiency, no brun and burr-free.



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	—	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	—	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	—	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	—	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	—	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	—	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	—	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	—	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	—	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	—	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	—	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	—	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	—	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	—	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	—	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	—	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	—	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off tile, ceramic, floor tile, roof tile, brick, clay stone and others.

[Features]: very sharp, higher efficiency, no brun and burr-free.



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	—	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	—	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	—	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	—	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	—	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	—	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	—	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	—	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	—	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	—	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	—	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	—	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	—	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	—	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	—	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	—	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	—	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off color steel tile, metal, steel sheet, thin algam, sheet and so on.

[Features]: very sharp, higher efficiency, no brun and burr-free.

[Shape]: teeth



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	———	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	———	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	———	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	———	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	———	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	———	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	———	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	———	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	———	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	———	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	———	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	———	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	———	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	———	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	———	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	———	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	———	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off concrete, beton, ceramic, wall, gypsum, plasterboard, floor tile, roof tile, brick, clay stone and others.

[Features]: very sharp, higher efficiency, no brun and burr-free.



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	———	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	———	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	———	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	———	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	———	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	———	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	———	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	———	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	———	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	———	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	———	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	———	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	———	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	———	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	———	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	———	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	———	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off wood, three-ply board, plywood, plank, lath, timber, lumber, lignum, wood door and others;

cut off aluminium, copper etc.

[Features]: very sharp, higher efficiency, no burr and burr-free.

[Shape]: teeth



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	———	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	———	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	———	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	———	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	———	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	———	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	———	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	———	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	———	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	———	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	———	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	———	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	———	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	———	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	———	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	———	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	———	100	27	25x24x25	

# BOSDI®

[Purpose]: cut off tile, ceramic, floor tile, roof tile, brick, clay stone and others.

[Features]: very sharp, higher efficiency, no burr and burr-free.



**Type 41**

Material	Size(mm)	Shape T42	Pcs/ctn	Gw.(kgs)	Ctn(cm)	Speed
A/WA/SC/GC	105x1.2x16	———	800	21	36x24x25	70m/s 80m/s
A/WA/SC/GC	115x1.2x22	———	600	14	47x25x14	
A/WA/SC/GC	115x1.6x22	———	600	15	47x25x14	
A/WA/SC/GC	115x2.0x22	———	600	16	47x25x14	
A/WA/SC/GC	115x3.0x22	———	500	17	47x25x14	
A/WA/SC/GC	125x1.2x22	———	600	17	47x27x15	
A/WA/SC/GC	125x1.6x22	———	600	18	47x27x15	
A/WA/SC/GC	125x2.0x22	———	600	19	47x27x15	
A/WA/SC/GC	125x3.0x22	———	500	20	47x27x15	
A/WA/SC/GC	150x1.6x22	———	400	18	36x32x17	
A/WA/SC/GC	150x2.0x22	———	400	19	36x32x17	
A/WA/SC/GC	150x3.0x22	———	400	20	36x32x17	
A/WA/SC/GC	180x1.6x22	———	200	18	42x19x20	
A/WA/SC/GC	180x2.0x22	———	200	20	42x19x20	
A/WA/SC/GC	180x3.0x22	———	200	21	42x19x20	
A/WA/SC/GC	230x2.0x22	———	100	23	25x24x25	
A/WA/SC/GC	230x3.0x22	———	100	27	25x24x25	